Author Index of Volume B2

Ahmad, Z. A., 133
Akiba, T., 143
Archer, P. B. M., 133
Aucouturier, J. L., 193

Bale, C. W., 7
Beghi, M., 51
Bergveld, P., 247
Bos, M., 247
Bousse, L., 103
Buttá, N., 151
Bychkov, E. A., 23, 43

Carlsson, R., 115
Casey, V., 57
Cha, C. S., 239, 277
Chadwick, A. V., 133
Chao Zhen, 167
Christofides, C., 79
Colbow, K., 283
Consadori, F., 283

Davies, G., 219
de Rooij, N. F., 103
Dibbern, U., 63
Dumschat, C., 271

Eguchi, K., 193

Faltemier, J., 51
Formoso, M. A., 11
Fryberger, T. B., 305

Göpel, W., 71, 125, 133
Graf, K., 133
Guilbeau, E. J., 223

Harker, A. H., 111
Harris, M., 265
Hasegawa, H., 143
Hayashi, K., 205
Hierold, Chr., 173
Hoffmann, W., 271
Horner, G., 173
Hüller, J., 271

Jain, U., 111
Jones, T. A., 33

Kampfrath, G., 1
Katayama, K., 143
Kayser, P., 193
Kirchnerova, J., 7
Kohl, D., 233
Kojima, N., 185, 297

Lager, W., 257
Landgraf, U., 1
Lauer, U., 125
Leimbrock, W., 1
Liu, C. C., 239, 277
Lucat, C., 193
Lukkari, I., 115
Lundström, I., 115

Maclay, G. J., 11
Maier, J., 125
Mandelis, A., 79
Mao-Chang Jin, 167
Mari, C. M., 51
McMonagle, J. B., 57
Melli, M., 151
Menil, F., 193
Miyagi, H., 291
Miyahara, Y., 291
Mizsei, J., 199
Mockert, H., 133
Moritz, W., 243
Muehlbauer, M. J., 223
Müller, H., 271

Nederlof, A. J., 97
Nieuwenhuizen, M. S., 97
Noda, T., 143

O'Beirn, B., 57
Olthuis, W., 247

Petty, M. C., 265
Pham, M. T., 271
Pizzini, S., 51, 151
Portier, J., 193
Preidel, W., 257

Rautschek, H., 271
Robben, M. A. M., 247
Ruprecht, L., 257

Saeger, S., 257
Schierbaum, K. D., 71
Schmeisser, D., 133
Sears, W. M., 283
Seleznev, B. L., 23, 43
Semancik, S., 305
Shanley, R., 57
Shao, M. L., 239, 277
Shibata, Y., 291
Skeaff, J. M., 7
Slamka, R., 283
Stoev, I., 233
Stoneham, A. M., 111
Sugama, A., 185, 297
Sundgren, H., 115
Sun Liang-Yan, 93
Suzuki, H., 185, 297
Szeponik, J., 243

Takei, F., 185
Tedjar, F., 215
Timpe, H.-J., 271
Toko, K., 205
Towe, B. C., 223
Tsukada, K., 291

van den Vlekkert, H. H., 103
van der Linden, W. E., 247
Vlasov, Yu. G., 23, 43
von Lucadou, I., 257

Watson, J., 219
Weimar, U., 71
Williams, D. E., 111
Winquist, F., 115
Wold, S., 115
Wright, J. D., 133
Wu Ruihua, 33

Yamafuji, K., 205
Yamanaka, M., 205
Yanagida, H., 143

Zerroual, L., 215
Zhi Chen, 167
Zhu, D. G., 265
Zou Jing-Sun, 93

Elsevier Sequoia/Printed in The Netherlands

Subject Index of Volume B2

Alkaline oxide addition
  effect of, on humidity sensitivity of Nb_2O_5-doped TiO_2, 143
Aluminum
  Ag–β-Al_2O_3 solid electrolyte for sensing arsine, AsH_3, 7
  humidity sensors with reactively evaporated Al_2O_3 films as porous dielectrics, 167
  hysteresis in Al_2O_3-gate ISFETs, 103
Ammonia
  conductance effects of, on silver chloride boundary layers, 125
Arsenic
  Ag ion sensors based on Ag–As–Se–Te glasses
    ionic sensitivity and bulk membrane transport, 23
    surface studies and tracer measurements of ion response, 33
Arsine
  Ag–β-Al_2O_3 solid electrolyte for sensing AsH_3, 7

Blood circulation
  glucose measurements by elctrocatalytic sensor in extracorporeal, of sheep, 257
Bulk membrane transport
  ionic sensitivity and; Ag ion sensors based on Ag–As–Se–Te glasses, 23

Calcium
  detection of phosphine at ppm level by $Sr_{1-y}Ca_yFeO_{3-x}$ thick layers pretreated with highly concentrated phosphine in air; evidence of transition of surface conductivity from p- to n-type, 193
Carbon monoxide
  effect of H and CO on interface state density in MOS gas sensors with ultra-thin Pd gates, 11
Carbon monoxide monitor
  low-level, 219
Carbon dioxide
  SAW gas sensor for CO_2 and water; preliminary experiments, 97
Chemically sensitive field-effect transistors
  encapsulation of, with photocurable epoxy resins, 271
Chemical sensor
  integrated, with multiple ion and gas sensors, 291
Chemical sensor devices
  new structure for, 243
Chromatographic method
  for measuring trace oxygen in gases, new, 93
Clark-type oxygen electrode
  miniature
    development of, using semiconductor techniques and its improvement for practical applications, 185
    with three-electrode configuration, 297

Conductance effects
  of ammonia on silver chloride boundary layers, 125
Conductance response
  of Pd/SnO_2 (110) model gas sensors to H_2 and O_2, 305
Copper phthalocyanine
  optical sensor for nitrogen dioxide based on, Langmuir–Blodgett film, 265

Dielectrics
  humidity sensors with reactively evaporated Al_2O_3 films as porous, 167
Doping
  influence of surface parameters and, on sensitivity and response times of tin oxide resistive sensors, 151

Electrocatalytic sensor
  glucose measurements by, in extracorporeal blood circulation of sheep, 257
Electrochemical behavior
  of microfabricated thick-film electrodes, 277
Electrochemical solid-state sensor
  for SO_2 determination in air, 51
Electrode(s)
  chemical crosstalk among; problems associated with miniaturization of voltammetric oxygen sensor, 239
  microfabricated thick-film, electrochemical behavior of, 277
  miniature Clark-type oxygen
    development of, using semiconductor techniques and its improvement for practical applications, 185
    with three-electrode configuration, 297
Electrode geometry
  effect of, on sensor response, 111
Electrolyte
  Ag–β-Al_2O_3 solid, for sensing arsine, AsH_3, 7
Encapsulation
  of chemically sensitive field-effect transistors with photocurable epoxy resins, 271
Enzyme sensor
  applications and stability of thermoelectric, 223

Fast Fourier-transform techniques
  selective thermally cycled gas sensing using, 283

Gas analysis
  multicomponent; analytical chemistry approach applied to modified SnO_2 sensors, 71
  by partial model building, 173
Gas mixture
  evaluation of multiple, with simple MOSFET gas sensor array and pattern recognition, 115
Gas sensing
  selective thermally cycled, using fast Fourier-transform techniques, 283

Elsevier Sequoia/Printed in The Netherlands

Gas-sensitive lead phthalocyanine
film surfaces, characterization of, by X-ray photoelectron spectroscopy, 133
Gas-sensitive multilayer devices
characteristics of, based on Pb phthalocyanine, 33
Gas sensor(s)
conductance response of Pd/SnO_2 (110) model, to H_2 and O_2, 305
effect of H and CO on interface state density in MOS, with ultra-thin Pd gates, 11
evaluation of multiple gas mixture with simple MOSFET, array and pattern recognition, 115
integrated chemical sensor with multiple ion and, 291
integrated, on Si substrate with sensitive SnO_x layer, 233
SAW, for carbon dioxide and water; preliminary experiments, 97
semiconducting, incorporating sparking decomposer, 199
substrate for thin-film, in microelectronic technology, 63
Glucose measurements
by electrocatalytic sensor in extracorporeal blood circulation of sheep, 257

Humidity sensitivity
of Nb_2O_5-doped TiO_2, effect of alkaline oxide addition on, 143
Humidity sensors
with reactively evaporated Al_2O_3 films as porous dielectrics, 167
Hydrogen
conductance response of Pd/SnO_2 (110) model gas sensors to H_2 and O_2, 305
effect of H and CO on interface state density in MOS gas sensors with ultra-thin Pd gates, 11
Hydrogen gas detection
photopyrolectric (P^2E) sensor for trace, 79
Hydrogen sensors
MIS, containing LB film insulator layers, 57
Hysteresis
in Al_2O-gate ISFETs, 103

Interface state density
effect of H and CO on, in MOS gas sensors with ultra-thin Pd gates, 11
Ionic sensitivity
and bulk membrane transport; Ag ion sensors based on Ag–As–Se–Te glasses, 23
Ion response
surface studies and tracer measurements of; Ag ion sensor based on Ag–As–Se–Te glasses, 43
Ion sensors
Ag, based on Ag–As–Se–Te glasses
ionic sensitivity and bulk membrane transport, 23
surface studies and tracer measurements of ion response, 43
integrated chemical sensor with multiple ion and gas sensors, 291
Iridium oxide
pH sensor properties of electrochemically grown, 247
Iron
detection of phosphine at ppm level by $Sr_{1-y}Ca_yFe_{3-x}$ thick layers pretreated with highly concentrated phosphine in air; evidence of transition of surface conductivity from p- to n-type, 193
ISFETs
extended site-binding model and experimental results of organic membranes for reference, 1
hysteresis in Al_2O_3-gate, 103

Langmuir–Blodgett film
optical sensor for nitrogen dioxide based on Cu phthalocyanine, 265
LB film insulator layers
MIS hydrogen sensors containing, 57
Lead phthalocyanine
characteristics of gas-sensitive multilayer based on, 33
characterization of gas-sensitive, film surfaces by X-ray photoelectron spectroscopy, 133
Lipid membranes
multichannel taste sensor using, 205

Microelectronic technology
substrate for thin-film gas sensor in, 63
MIS hydrogen sensors
containing LB film insulator layers, 57
Model building
gas analysis by partial, 173
MOSFET gas sensor array
and pattern recognition, evaluation of multiple gas mixture with simple, 115
MOS gas sensors
effect of H and CO on interface state density in, with ultra-thin Pd gates, 11

Niobium
effect of alkaline oxide addition on humidity sensitivity of Nb_2O_5-doped TiO_2, 143
Nitrogen dioxide
optical sensor for, based on Cu phthalocyanine Langmuir–Blodgett film, 265

Optical sensor
for nitrogen dioxide based on Cu phthalocyanine Langmuir–Blodgett film, 265
Organic membranes
for reference ISFETs, extended site-binding model and experimental results of, 1
Oxygen
chromatographic method for measuring trace oxygen in gases, new, 93
conductance response of Pd/SnO_2 (110) model gas sensors to H_2 and O_2, 305
Oxygen electrode
miniature Clark-type
development of, using semiconductor techniques and its improvement for practical applications, 185
with three-electrode configuration, 297

Oxygen sensor
voltammetric, problems associated with miniaturization of; chemical crosstalk among electrodes, 239

Palladium
conductance response of Pd/SnO_2 (110) model gas sensors to H_2 and O_2, 305
effect of H and CO on interface state density in MOS gas sensors with ultra-thin Pd gates, 11
Phosphine
detection of, at ppm level by $Sr_{1-y}Ca_yFeO_{3-x}$ thick layers pretreated with highly concentrated phosphine in air; evidence of transition of surface conductivity from p- to n-type, 193
Photocurable epoxy resins
encapsulation of chemically sensitive field-effect transistors with, 271
Photopyrolectric (P^2E) sensor
for trace hydrogen gas detection, 79
pH sensor
'all solid', 215
pH sensor properties
of electrochemically grown Ir oxide, 247

Resistive sensors
influence of surface parameters and doping on sensitivity and on response times of tin oxide, 151
Response times
influence of surface parameters and doping on sensitivity and on, of tin oxide resistive sensors, 151

SAW gas sensor
for carbon dioxide and water; preliminary experiments, 97
Selenium
Ag ion sensors based on Ag–As–Se–Te glasses
ionic sensitivity and bulk membrane transport, 23
surface studies and tracer measurements of ion response, 33
Semiconducting gas sensor
incorporating sparking decomposer, 199
Semiconductor techniques
development of miniature Clark-type oxygen electrode using, and its improvement for practical applications, 185
Sensitivity
influence of surface parameters and doping on, and on response times of tin oxide resistive sensors, 151
Sensor response
effect of electrode geometry on, 111
Silicon
integrated gas sensor on Si substrate with sensitive SnO_x layer, 233
Silver
Ag–β-Al_2O_3 solid electrolyte for sensing arsine, AsH_3, 7
Silver chloride
conductance effects of ammonia on, boundary layers, 125
Silver ion sensors
based on Ag–As–Se–Te glasses
ionic sensitivity and bulk membrane transport, 23
surface studies and tracer measurements of ion response, 43
Site-binding model
extended, and experimental results of organic membranes for reference ISFETs, 1
Solid-state sensor
electrochemical, for SO_2 determination in air, 51
Sparking decomposer
semiconducting gas sensor incorporating, 199
Strontium
detection of phosphine at ppm level by $Sr_{1-y}Ca_yFeO_{3-x}$ thick layers pretreated with highly concentrated phosphine in air; evidence of transition of surface conductivity from p- to n-type, 193
Sulfur dioxide
electrochemical solid-state sensor for SO_2 determination in air, 51
Surface parameters
influence of, and doping on sensitivity and on response times of tin oxide resistive sensors, 151
Surface conductivity
evidence of transition of, from p- to n-type; detection of phosphine at ppm level by $Sr_{1-y}Ca_yFeO_{3-x}$ thick layers pretreated with highly concentrated phosphine in air, 193
Surface studies
and tracer measurements of ion response; Ag ion sensors based on Ag–As–Se–Te glasses, 43

Taste sensor
multichannel, using lipid membranes, 205
Tellurium
Ag ion sensors based on Ag–As–Se–Te glasses
ionic sensitivity and bulk membrane transport, 23
surface studies and tracer measurements of ion response, 43
Thermoelectric enzyme sensor
applications and stability of, 223
Tin
conductance response of Pd/SnO_2 (110) model gas sensors to H_2 and O_2, 305
integrated gas sensor on Si substrate with sensitive SnO_x layer, 233
Tin dioxide sensors
multicomponent gas analysis; analytical chemistry approach applied to modified, 71
Tin oxide resistive sensors
influence of surface parameters and doping on sensitivity and on response times of, 151
Titanium
effect of alkaline oxide addition on humidity sensitivity of Nb_2O_5-doped TiO_2, 143
Tracer measurements
surface studies and, of ion response; Ag ion sensors based on Ag–As–Se–Te glasses, 43

Voltammetric oxygen sensor
problems associated with miniaturization of; chemical crosstalk among electrodes, 239

Water
SAW gas sensor for CO_2 and H_2O; preliminary experiments, 97

X-ray photoelectron spectroscopy
characterization of gas-sensitive lead phthalocyanine film surfaces by, 133